

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	17279	700/1-9,28,79-82.ccls. or 713/1-2, 201.ccls. or 709/201-203.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:57
S2	2633	S1 and ((access or grant or permit or permission) with (restrict\$4 or prevent\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 11:58
S3	2278	S2 and (share\$1 or common or public)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 11:59
S4	2188	S3 and (peripheral or device or printer or (cd\$2rom) or smartcard or card or fax or dis\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 12:01
S5	2023	S4 and (epoch or "state value" or state or value or id or identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 12:02
S6	177	S5 and @ad<"19951102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 12:23
S8	169	S6 and (state or configuration or version)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 13:21
S9	633820	database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 12:43

## EAST Search History

S10	42661	S9 and (access or read or write) with control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 12:44
S11	3891	S10 and (time adj stamp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 12:44
S12	1547	S11 and integrity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 12:46
S13	1504	S12 and (data or information) with (control or integrity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 12:46
S14	156	S13 and (multinode or multi-node or "multiple node" or multiprocessor or mult-processor or "multiple processor")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 13:08
S15	23	S14 and @ad<"19951102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 13:09
S16	1	S8 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 13:21
S17	213920	(request or query) same (configuration or value or time or checksum or md5 or hash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 15:20

## EAST Search History

S18	56318	S17 and @ad<"19951102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 15:21
S20	16478	S18 and (peripheral or dis\$2 or cd\$1rom or printer or card or device) with (access or read or write)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 15:27
S21	2371	S20 and (access with (restrict\$4 or prevent\$4 or deny or denial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 15:25
S22	1535	S21 and (access with (request or query))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 15:25
S24	341	S22 and (shared or common or public) with (resource or peripheral or dis\$2 or cd\$1rom or printer or card or device) with (access or read or write)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 15:58
S25	341	S24 and (epoch or time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 15:58
S27	5280	epoch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 15:59
S30	1122	S27 and (request or query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 15:59

## EAST Search History

S32	150	S30 and @ad<"19951102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 16:00
S33	33	S32 and (access with (request or query))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 16:01
S35	374	S25 or S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 16:19
S36	0	S25 and S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 16:01
S37	39	("3735360" or "4480304" or "4805134" or "4961224" or "5003464" or "5113509" or "5202923" or "5204961" or "5299316" or "5321841" or "5339443" or "5347648" or "5361347" or "5404482" or "5408653" or "5416921" or "5463733" or "5469556" or "5568491" or "5619497").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 16:22
S38	17345	700/1-9,28,79-82.ccls. or 713/1-2, 201.ccls. or 709/201-203.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 13:58
S39	3841	S38 and @ad<"19951102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:10

## EAST Search History

S40	684	S39 and ((service or access or read or write) with (request or attempt or try))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:11
S41	103	S40 and ((request or attempt or try) near (epoch or time or timestamp or counter or status))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:16
S42	18324	(shared or common or public) adj (key or password or token)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:57
S43	2176	S42 and @ad<"19951102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:58
S44	923	S43 and ((key or password or hash or checksum) with (configuration or epoch or time or timestamp))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:04
S45	4	("5416921" or "5202923").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 11:52
S46	18033	(common or shared or public) adj key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 11:52
S47	2107	S46 and @ad<"19951102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 11:53

## EAST Search History

S48	564	S47 and ((restrict or prevent or control) with (access or read or write))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 11:54
S49	270	S48 and ((shared or common or public) with (device or server or card or printer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 11:56
S51	188	S49 and ((key or password or token or hash or checksum) with (epoch or time or period or clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 12:04
S52	168	S51 and ((password or key or token or hash or checksum) with (creat\$4 or assign\$5 or generat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 15:59
S53	14249	random adj number adj (generation or generator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 16:01
S54	11177	S53 and (time or clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 16:01
S55	3074	S54 and @ad<"19951102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 16:02
S56	99	S55 and ((password or key) adj (creation or generation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 16:05

## EAST Search History

S57	8	S56 and ((random adj number) and ((clock or time) with seed))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 12:23
S58	6	("5416921" or "4800590" or "5404525").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 08:33
S59	15387	random adj number adj (generation or generator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 12:23
S60	12186	S59 and (time or clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 12:23
S61	3074	S60 and @ad<"19951102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 12:23
S62	99	S61 and ((password or key) adj (creation or generation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 12:23
S63	8	S62 and ((random adj number) and ((clock or time) with seed))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 12:23
S64	18821	700/1-9,28,79-82.ccls. or 713/1-2, 201.ccls. or 709/201-203.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 12:23

## EAST Search History

S65	2923	S64 and ((access or grant or permit or permission) with (restrict\$4 or prevent\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 12:23
S66	2527	S65 and (share\$1 or common or public)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 12:23
S67	2427	S66 and (peripheral or device or printer or (cd\$2rom) or smartcard or card or fax or dis\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 12:23
S68	2250	S67 and (epoch or "state value" or state or value or id or identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 12:23
S69	177	S68 and @ad<"19951102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 12:23
S70	26338	713/1,100.ccls. or 726/1-3,6-7.ccls. or 714/100,1-8,25.ccls. or 709/213-221.ccls. or 711/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 09:26
S71	3867	S70 and @ad<"19951102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 09:26
S72	12	(list\$3 with (multi\$3 adj nod\$3) with (value or epoch or time or stamp))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 09:36



## EAST Search History

S73	1	S72 and @ad<"19951102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 09:39
S74	92	(list\$3 with (multi\$3 adj node))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 09:48
S75	50	S74 and (list\$3 with (value or epoch or time or stamp or hash or checksum or md\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 09:39
S76	9	S75 and @ad<"19951102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 09:39
S77	291	list\$3 with (node or processor or computer or address) with (shar\$3 or community) with (device or drive or resource)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 09:39
S78	141	S77 and (list\$3 with (value or epoch or time or stamp or hash or checksum or md\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 09:39
S79	15	S78 and @ad<"19951102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 09:46
S80	1	S71 and S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 09:47

## EAST Search History

S81	517	S71 and ((prevent\$3 or control\$3 or allow\$3) with (access or permission) with (resource or device or peripheral))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 09:56
S82	27	S81 and (list\$3 with node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 09:50
S83	16589	list\$3 with node	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 09:50
S84	19245	726/1-3.ccls. or 709/216-221.ccls. or 714/100,1-8.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 09:50
S85	567	S84 and @ay="1995"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 09:51
S86	37	S85 and S83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 09:51
S87	117	S85 and ((prevent\$3 or control\$3 or allow\$3) with (access or permission) with (resource or device or peripheral))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 09:57
S88	16	S87 and S83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 10:01